



**Сканер МойPOS MSC-6607C2D
(дата произв. 12.20)**

**РУКОВОДСТВО
ПО ЭКСПЛУАТАЦИИ**



Содержание

Chapter 1 System Settings	10
Factory Defaults	10
Custom Defaults	11
Scan Mode	12
Level Mode	13
Sense Mode	14
Continuous Mode	15
Read Same Barcode.....	16
Decoding Timeout	18
Decode Redundancy	19
Aiming LED	20
Illumination Mode.....	21
Illumination Level	22
Chapter 2 Interface.....	23
USB HID Keyboard	23
USB Virtual COM Port.....	24
RS232 COM Port.....	25
RS232 Baud Rate	26

RS232 Data Bits	71
RS232 Parity.....	28
RS232 Stop Bits	29
USB Country Keyboard.....	30
Chapter 3 Symbologies.....	36
Enable All Symbologies.....	36
Only Enable 1D Symbologies.....	37
Only Enable 2D Symbologies.....	38
EAN-13	39
Transmit Check Character	40
Convert EAN-13 to ISBN	41
Convert EAN-13 to ISSN.....	42
Enable/Disable Add-On Codes	43
Add-On Code Required.....	44
EAN-8.....	45
Transmit Check Character	46
Convert EAN-8 to EAN-13	47
Enable/Disable Add-On Codes	48
Add-On Code Required.....	49
UPC-A	50

